

CITY OF ABILENE
TREE BOARD
MEETING AGENDA

September 22, 2015
at 5:30 p.m.
Abilene Public Library ~ Jordan Room
209 NW 4th St.

Agenda Item
Call to Order – Welcome.
Approval of Agenda.
Approval of the Meeting Minutes – April 24, 2015.
Business. 1. Election of Officers. 2. Emerald Ash Borer Discussion. 3. Trees for Eisenhower Elementary Discussion.
Comments. <i>Next meeting is scheduled for November 24, 2015.</i>
Adjournment.

**CITY OF ABILENE
TREE BOARD
MEETING MINUTES**

Arbor Day ~ Fourth Grade Forester Program

Friday, April 24, 2015

*Garfield Elementary – 300 NW 7th St. at 9:30 a.m. ~
meeting to follow presentation & planting.*

St. Andrew's Elementary – 301 S. Buckeye at 11:10 a.m.

Members Present: Jack Gilstrap, Johnny Kinder (Chair) and Christina Krause

Members Absent: John Barbur (Vice-Chair) and Jacob Hawk

Staff Present: Tim Hamilton, Jennie Hiatt and Jeremy Stuck

Others Present: none

Item A. Call to Order – Welcome.

The Tree Board met at Garfield Elementary and did a presentation on Arbor Day to all the fourth grade students in the gym/cafeteria and then went outside and did a tree planting demonstration. One of the trees that had been planted last year was still alive.

Following the tree planting the board took a break to have a meeting. Chair Kinder called the meeting to order.

Item B. Approval of Agenda.

Krause made a motion to approve the agenda as written. Gilstrap seconded the motion. The motion passed unanimously. (3-0)

Item C. Approval of Minutes from March 24, 2015.

Krause made a motion to approve the minutes as written. Gilstrap seconded the motion. The motion passed unanimously. (3-0)

Item D. Business.

1. Emerald Ash Borer Education to Public.

There was discussion.

Item F. Comments.

Kinder presented a Certificate of Appreciation to Hamilton for all of the work he did on the 1st Street Tree Project.

The next meeting is scheduled for May 26, 2015

Item G. Adjournment.

Krause made a motion to adjourn the meeting. Gilstrap seconded the motion. The motion passed unanimously.
(3-0)

At 11:10 the Tree Board met at St. Andrew's Elementary where they did a presentation on Arbor Day to the fourth grade students and then proceeded outside and did a tree planting demonstration.

Minutes Submitted,

Daniel Shea
Community Development Director

Minutes Approved,

Johnny Kinder, Chair or
John Barbur, Vice-Chair

EAB FREQUENTLY ASKED QUESTIONS

What is Emerald Ash Borer?

Emerald ash borer (EAB) is an invasive, non-native insect that attacks and kills all species of North American ash trees, including white, green and black ash. EAB is native to Asia and was first detected in the U.S. in the summer 2002 feeding on ash trees in the Detroit area. **As of July 1, 2012 EAB has not been confirmed in the northern Plains states - (Kansas, Nebraska, North Dakota or South Dakota).**

What do I recognize Emerald Ash Borer?



Adult have 1/2 –inch long, slender, emerald green bodies.

Emerald Ash Borer larvae can grow up to 1 ¼ inch long. They are white or cream colored. They have brown heads and a 10-segmented body with a pair of brown, pincer-like appendages on the last segment.

Why should I be concerned about Emerald Ash Borer?

Emerald Ash Borer larvae feed on the tissues just below the bark. As they feed, larvae create serpentine tunnels, also called galleries, that disrupt the tree's ability to transport water and nutrients and eventually kills the tree.

Emerald Ash Borer adults typically emerge during June and July, leaving D-shaped exit holes in the bark. After emerging, the adults feed on ash foliage and can live for approximately three weeks.

What are the symptoms of Emerald Ash Borer?




Symptoms of Emerald Ash Borer include canopy dieback, beginning in the top one-third of the canopy, sprouting from the base of the tree and trunk, bark splitting, serpentine galleries below the bark, D-shaped exit holes and increased woodpecker activity.

What species of trees does Emerald Ash Borer attack?

EAB attacks and kills all species of North American ash, including white, green and black ash. Mountain-ash is not a true ash, so it is not threatened by Emerald Ash Borer.

How do I identify an ash tree?



Ash trees exhibit an opposite leaf pattern, meaning that leaves and buds are located directly across from each other. Ash leaves are compound and typically consist of 5 to 11 leaflets. The edges of the leaflets may be smooth or toothed. On mature ash trees, the bark has a distinct pattern of diamond-shaped ridges. Younger trees have smoother bark. When seeds are present, they appear in paddle-shaped clusters that stay on the tree until late fall or early winter.

Where is Emerald Ash Borer from originally?

Emerald Ash Borer is native to Asia.

When did Emerald Ash Borer get to the United States?

Emerald Ash Borer was first detected in the U.S. in the summer 2002, feeding on ash trees in the Detroit area.

How does Emerald Ash Borer spread?

Emerald Ash Borer is spread primarily by moving infested firewood, untreated ash wood products and nursery stock. Moving firewood and other untreated ash wood products within areas infested by Emerald Ash Borer and out of infested areas is regulated by state and federal agencies. You can help prevent the spread of Emerald Ash Borer, and other wood-dwelling invasive pests, by collecting or purchasing local firewood at your destination. For more information, visit www.dontmovefirewood.org and www.stopthebeetle.info.

Where has Emerald Ash Borer been found?

As of July 24, 2012, Emerald Ash Borer has been detected in (2003), Indiana (2004), Illinois (2006), Maryland (2006), Pennsylvania (2007), West Virginia (2007), Virginia (2008), Wisconsin (2008), Missouri (2008), Minnesota (2009), Kentucky (2009) New York (2009), Iowa (2010), Tennessee (2010) and Connecticut (2012).

Can anything be done to prevent Emerald Ash Borer from killing ash trees?

Unfortunately, nothing can be done to stop Emerald Ash Borer from spreading into new areas and killing ash trees. In the next several years we may have new methods for slowing the Emerald Ash Borer's spread, but they will only *slow* its spread, not *stop* it. In areas where Emerald Ash Borer is present, insecticide treatments can be used to protect high-value trees, such as large shade trees, historic trees and trees highly valued by homeowners. Researchers are continually working to develop new treatments for Emerald Ash Borer.

Is there a treatment for Emerald Ash Borer?¹

Insecticide treatments can be effective in protecting trees from Emerald Ash Borer. The treatment available for homeowner use is a soil application of imidacloprid (such as Bayer Advanced GardenTM Tree and Shrub Insect Control). The application should be made in May and is most effective on small trees. Tree care professionals are able to use additional products such as trunk injections and trunk and foliage sprays. More information about available treatment methods can be found online at: www.emeraldashborer.info/files/E2955.pdf and www.emeraldashborer.info/files/eabcontrol.pdf.

Should I treat my ash tree before it gets Emerald Ash Borer?

No treatment is needed until Emerald Ash Borer has been found within 30 miles of your tree. If your tree has symptoms like those of an Emerald Ash Borer infestation, such as canopy dieback or borer exit holes, you may want to have a tree care professional examine the tree. To locate a certified arborist in your area visit: <http://www.treesaregood.org/findtreeservices/FindTreeCareService.aspx>

Should I remove my ash tree before it gets Emerald Ash Borer?

If your tree is healthy, there is no reason to cut it down. If it is dying or diseased, it may be best to hire a certified arborist to look at your tree and determine whether it has Emerald Ash Borer or another insect or disease problem. There are a number of native insects that attack ash trees, so if your tree is displaying symptoms, it may be that you have one of these other pests. With highly destructive invasive insects like the Emerald Ash Borer, it is best to err on the side of caution by seeking professional guidance if you suspect your tree is infested.

Should I continue planting ash trees?

Given the threat of Emerald Ash Borer and the abundance of ash, we do not recommend planting more ash. Ash has been popular in landscape, agro forestry and conservation plantings for decades. This popularity has led to many ash trees being planted in communities throughout Kansas and the northern Plains. Because diversity is an important measure of a community forest's overall health, it is important to plant a variety of trees. There are a number of trees that grow well in Kansas that are under planted. To learn which trees are best for your landscape, we recommend you contact:

Kansas Forest Service
2610 Claflin Road
Manhattan, KS 66502
785-532-3300

Or visit: www.kansasforests.org/pubs/community/index.shtml

Are there any ash varieties that are resistant to EAB?

Early research has not revealed a variety native to the U.S. that is not susceptible to the Emerald Ash Borer but research is continuing.

What are alternatives to ash?

Maple, Box Elder, Birch, Hornbeam, Catalpa, Locust, Kentucky Coffeetree, Oak, Sweet Gum, Buckeye, Hickory, and Hackberry are all good alternatives.

¹ Specific product information does not constitute an endorsement for that product.

What other insects attack ash trees?



Banded Ash Borer



Eastern Ash Bark Beetle



Red Headed Ash Borer



Ash/Lilac Borer



Clearwing Moth



Carpenterworm Moth

There are several species of native ash borers that attack ash trees. The banded ash borer, clearwing moth, carpenterworm moth and ash/lilac borer attack healthy ash trees. The redheaded ash borer, banded ash borer and eastern ash bark beetle all attack stressed or dying ash trees. For more information about these insects, see Michigan State University Extension Bulletin E-2939, *Native Borers and Emerald Ash Borer Look-alikes*.

What other insects look like Emerald Ash Borer?



Bronze Birch Borer



Six-spotted Tiger Beetle



Caterpillar Hunter

There are many species of insects that are frequently mistaken for Emerald Ash Borer. The bronze birch borer looks very similar to Emerald Ash Borer and even presents similar symptoms. However, this borer attacks stressed birch trees. The six-spotted tiger beetle, two-lined chestnut borer, and caterpillar hunter are all similar in color to Emerald Ash Borer. The Japanese beetle is also frequently mistaken for Emerald Ash Borer. For more information about these insects, see Michigan State University Extension Bulletin E-2944, *Don't be Fooled By Look-Alikes*.

Who should I call if I think I have EAB on my tree?

Kansas Department of Agriculture
Plant Protection and Weed Control Program
785-564-6698

Kansas Forest Service
785-532-3300

What can be done with wood from trees killed by the Emerald Ash Borer?

If Emerald Ash Borer is discovered in Kansas, it will trigger specific regulatory instructions. At that point we will provide instructions on how to dispose of infested wood. Research has shown that infested wood chipped to a size of less than 1" in two dimensions contained no pupal larvae. Emerald Ash Borer larvae are successfully killed when heated to 140 ° F for three to seven hours or 130 ° F for ten to fourteen hours depending on the thickness of the lumber. Infested firewood can also be double-bagged to prevent escape of emerging Emerald Ash Borer.

What is Kansas doing to prepare for Emerald Ash Borer?

Kansas is involved with the Great Plains Forest Partnership (GPFP), a collaborative initiative of state forestry agencies in Kansas, Nebraska, North Dakota and South Dakota and the U.S. Forest Service. The goal is to prepare for the arrival of invasive insects, such as Emerald Ash Borer, in the northern Great Plains. The initial focus is on Emerald Ash Borer and states are inventorying regional tree and forest resources to determine which areas may be most impacted by Emerald Ash Borer and other invasive species. The groups are also developed public education programs, established citizen-based monitoring and detecting networks, and have explored opportunities for using wood generated by the infestation of Emerald Ash Borer.

Kansas has an Emerald Ash Borer Readiness and Response Plan that involves many agencies and organizations. The most current Response Plan will always be posted at:

[www.ksda.gov/includes/document_center/plant_protection/Miscellaneous Plans Reports and Guidelines/KSEABResponsePlan.pdf](http://www.ksda.gov/includes/document_center/plant_protection/Miscellaneous_Plans_Reports_and_Guidelines/KSEABResponsePlan.pdf)

Check out these websites for more information:

www.emeraldashborer.info

www.dontmovefirewood.org

www.stopthebeetle.info

www.ksda.gov/plant_protection/

www.kansasforests.org/pubs/community/index.shtml

www.kansasarborist.com

www.isa-arbor.com/findArborist/verifyArbByLoc.aspx

CSI: YOUR ASH TREES

Dying ash trees. Winding S-shaped tunnels just under the bark. Small D-shaped holes on the trunk. Emerald ash borer (EAB) has destroyed millions of ash trees in at least 10 states. Help stop its spread. Use this brochure to investigate your yard or timber lot.

Call Kansas Department of Agriculture @ 785-862-2180 if suspect EAB.

PART 1: IDENTIFY THE VICTIM

EAB attacks only ASH TREES. If your tree isn't an ash, you do not have EAB.

Step 1: Look at the tree's branches



☐ Oppositely branched as in Figure A?
If yes, go to step 2.



☐ Alternately branched as in Figure B? If yes, STOP! Your tree is not an ash.

Step 2: Look at your tree's leaves

☐ Simple—a single leaf joined by a stalk to a woody stem as in Figure C.
STOP! Your tree is not an ash.



☐ Compound—a group of leaflets joined by a stalk to a woody stem as in Figure D or E? Go to step 3.



Step 3: Look at the leaflets

☐ 3 to 5 leaflets, margin smooth or coarsely toothed as in Figure D?
STOP! Your tree is not an ash.



☐ 5 to 9 leaflets, margin smooth or finely toothed as in Figure E? Your tree is an ash. Go to Part 2.

PART 2: EXAMINE THE VICTIM

Does your tree look healthy or is it showing signs of attack? Look for these clues. If you ash tree shows two or more of these symptoms, move on to Part 3.

		
Increased activity of woodpeckers on the tree	Winding, S-shaped tunnels just under the bark	White or cream-colored larvae under the bark

Photo credits clockwise from left: Daniel Hermis, Ohio State University; Bugwood.org; James W. Smith, USDA APHIS PPQ, Bugwood.org; Joseph O'Brien, USDA Forest Service, Bugwood.org; Jim Ralther; Art Wagner, USDA APHIS PPQ, Bugwood.org; David Cappaert, www.forestimages.org

S U S P R O F C I T E


- ♦ Small metallic green beetle, ½ inch long
- ♦ Native to Asia
- ♦ Attacks only ash trees
- ♦ First detected in the U.S. in Michigan in 2002
- ♦ Spread to 18 total states as of Sept. 2012
- ♦ Larvae feed under bark, cutting off the flow of water and nutrients to the tree
- ♦ Travels in infested firewood and nursery stock



PART 3: CHECK FOR EXIT WOUNDS

Step 1. Do you see multiple holes in the trunk of your ash tree? If so, what shape are they?

Tip: Use a knife to slightly shave the bark flat so you can gauge the true shape of the hole.



☐ Round as in Figure F?

☐ STOP! EAB does not make round holes

☐ Oval-shaped as in Figure G?

☐ STOP! EAB does not make oval holes

☐ D-shaped as in Figure H?

☐ Go to step 2.

Step 2: How wide are the D-shaped holes?

☐ About 1/8 inch. Your tree may be infested with EAB.
Call 785-862-2180

☐ ¼ inch or wider?

☐ STOP! EAB holes aren't usually this wide.



Photo credits: EAB on penny—Howard Russell, Michigan State Univ, Bugwood.org; F—Minnesota Dept. of Natural Resources Archive, Bugwood.org; G—Hannes Lemme, Bugwood.org; H—Joseph O'Brien, USDA Forest Service, Bugwood.org



Ash trees near death due to EAB

Emerald Ash Borer

Help slow the spread of this killer. Here are some ways you can help:

Don't move firewood

- ♦ EAB can be transported long distances in firewood. When you camp, leave your wood at home. Buy only local firewood, and burn it all before you leave. Once transported into new areas, EAB can become established and kill local trees.

Avoid planting ash trees

- ♦ EAB kills only ash trees. Choose other shade trees for landscaping.

Investigate potential EAB infestations

- ♦ Follow the steps in this brochure to determine whether your ash tree suffers from EAB or some other ailment.

Photo credits: top left—Joseph O'Brien, USDA Forest Service, Bugwood.org; top right—Daniel Herms, The Ohio State University, Bugwood.org; cover adult EAB—David Cappaert, Michigan State Univ.; bugwood.org; cover emergence hole—Noppadol Paichong, MO Dept of Conservation

If you believe your ash tree is infested with emerald ash borer, please call 785-862-2180

Not sure if your ash tree suffers from EAB? Call a certified arborist or forester for help. Use these websites to locate a qualified professional in your area:

www.isa-arbor.com/findArborist/findarborist.aspx

www.kansasforests.org/community/faq.shtml

www.kansasarborist.com/pdf/KAA%20DIRECTORY.pdf

For more information about EAB, visit the following websites:
www.kansasforsts.org

http://www.ksda.gov/plant_protection/content/379

www.emeraldashborer.info



K-STATE
Research and Extension

Adapted from Emerald Ash Borer CSI. Copyright 2008 by the Conservation Commission of the State of Missouri. Used with permission.

Emerald Ash Borer CSI

Are your ash trees dying? A small green beetle could be the culprit. Do some crime scene investigation to find out.